

CARBOHYDRATE RESEARCH VOL. 203 (1990)

AUTHOR INDEX

- Abe, J., 129
- Ballou, C.E., 1
Ballou, L., 1
Banaszek, A., 195
Banoub, J., 148
Bazzo, R., 13
Beigelman, L.N., 324
Bernabe, M., 296
Bezukladnikov, P.W., 119
Bjorgum, J.O., 281
Brakta, M., 148
- Carignan, Y.P., 290
Cawthern, K.M., 156
Chaturvedi, P., 91
Chmielewski, M., 183
Cruzado, C., 296
Czubarow, P., 287
- Dauben, W.G., 47
Dodziuk, H., 183
Dubourdieu, D., 103
Duddeck, H., 183
Dwek, R.A., 13
- Edge, C.J., 13
El-Sokkary, R.I., 319
Elices, M.J., 109
Elyakova, L.A., 119
- Floor, M., 19
Fournet, B., 103
Furuhata, K., 57
- Gerneke, D.A., 336
Glaudemans, C.P.J., 253
Gluziński, P., 195
Goldstein, I.J., 109
Goswami, P.K., 265
Grasdalen, H., 281
Gray, G.R., 79
Gruber, P.R., 79
- Heiker, F.-R., 308, 314
Hernandez, L.M., 1
Hizukuri, S., 129
- Huffman, J.C., 183
Husman, D.W., 156
- Isbell, H.S., 287
Isobe, K., 65
Ito, Y., 205
- Jain, R.K., 33, 139
Jana, M.L., 265
- Kaluza, Z., 183
Katzenellenbogen, E., 219
Khan, S.H., 139
Khowala, S., 265
Kieboom, A.P.G., 19
Knapp, S., 290
Knirel, Yu.A., 219
Kobs, S.F., 156
Kocharova, N.A., 219
Kochetkov, N.K., 219
Koek, J.H., 19
Koerner, T.A.W., 173
Köhler, P., 47
Kováč, P., 253
Krajewski, J.W., 195
- Laban, S., 173
Lhoste, P., 148
Lipkind, G.M., 219
Llaubères, R.-M., 103
Lonvaud, A., 103
- Mabusela, W.T., 336
Magnus, P., 183
Martin-Lomas, M., 296
Matsui, H., 65
Matta, K.L., 33, 139
Mayer, R.M., 156
McIntosh, J.M., 271
Mikhailov, S.N., 324
Mo, F., 281
Murakami, K., 341
- Nakajima, K., 129
Nakatsubo, F., 341
Nashed, M.A., 319
Naskar, A.K., 265

- Niemantsverdriet, R.E., 19
Numata, M., 205
- Ogawa, T., 205
Ogura, H., 57
Oxley, D., 247
- Paulsen, H., 319
Pearce, B.J., 229
Peters, J.A., 19
Piekarska-Bartoszewicz, B., 302
- Rademacher, T.W., 13
Ramaprasad, S., 173
Reilly, P.J., 163
Richard, B., 103
Rodgers, A.L., 336
Romanowska, E., 219
Rosenbaum, D., 183
- Sarkar, A.K., 33
Sato, N., 57
Sbrissa, D., 271
Schreck, R.P., 290
Schuerch, C., 229
Schueller, A.M., 308, 314
Selosse, E.J.-M., 163
Sengupta, S., 265
Shaban, M.A.E., 330
Sharma, C.B., 91
Shashkov, A.S., 219
Siddiqui, I.R., 281
- Silwanis, B.A., 319
Sinou, D., 148
Slodki, M.E., 229
Smeets, F.L.M., 19
Stephen, A.M., 336
Sugimoto, M., 205
Summerfelt, S.T., 163
Suwinska, K., 183
- Taha, M.A.M., 330
Takano, T., 341
Takeda, K., 57
Taylor, N.F., 271
Temeriusz, A., 302
Torii, K., 57
Trahanovsky, W.S., 163
Tsuboyama, K., 57
- Usui, T., 65
- van Bekkum, H., 19
Vargas, D., 173
Voll, R.J., 173
- Walker, G.J., 229
Wilkinson, S.G., 247
Wooten, E.W., 13
- Younathan, E.S., 173
- Ziegler, T., 253

CARBOHYDRATE RESEARCH VOL. 203 (1990)

SUBJECT INDEX

- Affinity purification of dextransucrase, from *Streptococcus sanguis* ATCC 10558, 156
- Allyl β -glycosylation in the presence of a benzyl protective group, using boron trifluoride etherate, a facile, 341
- 2-Amino-2-deoxy-D-glucose and -D-galactose, synthesis of derivatives of, as intermediates for oligosaccharide synthesis, 319
- Amyloglucosidase, selective action on O-(carboxymethyl)starch, 265
- 3,4-Anhydropyranose system, studies of the ring conformations in the, using X-ray diffractometry, 195
- Anomeric ethyl 2-(4,6-di-O-benzyl-2,3-dideoxy-D-erythro-hex-2-enopyranosyl)acetates and their structural characterization, synthesis of the, 148
- Antibody to a polysaccharide, capability for reading internal epitopes of its antigen, 253
- Arabinogalactan, of cell wall of *Mycobacterium smegmatis*, isolation and analysis of, by reductive-cleavage method, 79
- Aspergillus* sp. K-27, alteration of properties of a glucoamylase from, upon limited proteolysis with subtilisin, 129
- Biological repeating unit of the O-antigen of *Hafnia alvei* 039, the structure of the, 219
- Biosynthesis of poly-N-acetyllactosamine chains occurs preferentially on complex multiantennary asparagine-linked oligosaccharides, 109
- Carbohydrates oxidation of by alkaline hydrogen peroxide in the presence and in the absence of ferrous ion, 287
- 2-C,1-N-Carbonyl-2-deoxy- α -D-glycopyranosylamines, conformation of, 183
- O-(Carboxymethyl)starch, selective susceptibility to amyloglucosidase activity, 265
- Cell-wall arabinogalactan of *Mycobacterium smegmatis*, isolation and analysis of, by reductive-cleavage method, 79
- Chito-oligosaccharides, enzymic synthesis of useful utilizing, transglycosylation by chitinolytic enzymes in a buffer, 65
- Complexation of calcium by 2,3-dicarboxy derivatives of β -cyclodextrin (cyclomaltoheptaose), amylose, and cellulose, structural and conformational effects on the, 19
- Conformation of 2-C,1-N-carbonyl-2-deoxy- α -D-glycopyranosylamines, 183
- Conformation of oligosaccharides, uncertainties in structural determinations of the, using measurements of nuclear Overhauser effects, 13
- Crystal and molecular structure of methyl 3,4-anhydro- α -DL-allopyranoside: ring conformations in the 3,4-anhydropyranose system, 195
- β -Cyclodextrin (cyclomaltoheptaose), amylose, and cellulose, structural and conformational effects on the complexation of calcium by 2,3-dicarboxy derivatives of, 19
- 4-Deoxy-4-fluoro-D-glucose, metabolism of, in *Pseudomonas putida*, 271
- 1-Deoxynojirimycin (1,5-dideoxy-1,5-imino-D-galactitol), synthesis of D-galacto-, starting from 1-deoxynojirimycin, 314
- 1-Deoxynojirimycin, synthesis of 2-acetamido-1,2-dideoxy-D-galacto-nojirimycin (2-acetamido-1,2,5-trideoxy-1,5-imino-D-galactitol) from, 308
- Dextrans and (1 \rightarrow 3)- α -D-glucans, enzymic and methylation analysis of, 229
- Dextransucrase, from *Streptococcus sanguis* ATCC 10558, affinity purification of, 156
- Enzymic and methylation analysis of dextrans and (1 \rightarrow 3)- α -D-glucans, 229
- Enzymic synthesis of useful chito-oligosaccharides utilizing transglycosylation by chitinolytic enzymes in a buffer containing ammonium sulfate, 65
- Ethyl 2-(4,6-di-O-benzyl)-2,3-dideoxy-D-erythro-hex-2-enopyranosyl)acetates, synthesis of the anomeric, and their structural characterization, 148
- Facile allyl β -glycosylation in the presence of benzyl protective group, using boron trifluoride etherate, a, 341
- Fructose 2,6-bisphosphate, two-dimensional ^1H -, ^{13}C - and ^{31}P -nuclear magnetic resonance and molecular-mechanics investigation of D-, 173
- (1 \rightarrow 3)- α -L-Fucosyltransferase, synthesis of potential trisaccharide acceptors for, 139
- β -D-Galp-(1 \rightarrow 4)- β -D-Glcp NAc(1 \rightarrow 3)- β -D-Galp OC₆H₄-4-NO₂ synthesis of, 139

- Ganglioside GM₃, an efficient synthesis of, using highly stereocontrolled glycosylations by use of auxiliaries, 205
- β -D-Glucan from *Pediococcus* sp., structure of, 103
- Glucan that coats the seeds of *Helipterum eximium*, a highly substituted, 336
- β -D-Glucanase L-IV from *Spisula sachalinensis*, transglycosylation and multiple attack of endo-(1 \rightarrow 3)-, 119
- Glucans, enzymic and methylation analysis of dextrans and (1 \rightarrow 3)- α -D-, 229
- Glucosylase, from *Aspergillus* sp. K-27, alteration of properties of, upon limited proteolysis with subtilisin, 129
- Glycopyranosylamines, conformation of 2C:1N-carbonyl-2-deoxy- α -D-, 183
- N-Glycosyl collidinium salts, formation during high-pressure glycosylations of unreactive alcohols, 47
- S-Glycosyl donors of sialic acid, synthesis and O-glycosylation of, 57
- Glycosylation, highly stereocontrolled by use of auxiliaries, in synthesis of ganglioside GM₃, 205
- Glycosylation of mono- and di-saccharides via organotin derivatives, regioselective, 296
- Glycosylation of unreactive alcohols under high pressure, 47
- Goat's milk, purification of two fucose-containing pentasaccharides from, by high performance liquid chromatography, and characterization by high-field ¹H-n.m.r. spectroscopy, 91
- Guluronate dihydrate, solution and solid-state ¹H- and ¹³C-n.m.r. spectroscopy of sodium α -L-, 281
- Hafnia alvei* 039, the structure of the biological repeating unit of the O-antigen of, 219
- Heptasaccharide Gal (β 1-3)Gal(β 1-3)Gal(β 1-6)Gal(β 1-6)Gal(β 1-6)Gal(β 1-6)Gal(β)-OMe, synthesis and study of binding to antigalactan antibodies, 253
- High-performance anion-exchange chromatography, use for separation of yeast asparagine-linked oligosaccharides, 1
- High-pressure glycosylations of unreactive alcohols and the formation of N-glycosyl collidinium salts, 47
- Hydrogen peroxide in the presence and in the absence of ferrous ion, oxidation of carbohydrates by alkaline, 287
- 1,5-Imino-D-galactitol (D-galacto-1-deoxynojirimycin), synthesis of 1,5-dideoxy, starting from 1-deoxynojirimycin, 314
- 1,5-Imino-D-galactitol, synthesis of 2-acetamido-1,2,5-trideoxy-, from 1-deoxynojirimycin, 308
- Lipopolysaccharide of the reference strain for *Serratia marcescens* serogroup O22, structure of a neutral glycan isolated from the, 247
- 2-O-Me- β -D-Galp-(1 \rightarrow 3)- β -D-GlcpNAc-(1 \rightarrow 3)- β -D-GalpOMe, synthesis of, 33
- 2-O-Me- β -D-Galp-(1 \rightarrow 3)- β -D-GlcpNAc-(1 \rightarrow 3)- β -D-Galp-(1 \rightarrow 4)-D-Glc, synthesis of, 33
- 2-O-Me- β -D-Galp-(1 \rightarrow 3)- β -D-GlcpNAcOBzl, synthesis of, 33
- 2-O-Me- β -D-Galp-(1 \rightarrow 4)- β -D-GlcpNAc-(1 \rightarrow 3)- β -D-GalpOMe, synthesis of, 139
- Mechanistic study of the reaction of phenyl isocyanate with methyl 2,3,4-tri-O-acetyl- α -D-glucopyranoside, 290
- Metabolism of 4-deoxy-4-fluoro-D-glucose in *Pseudomonas putida*, 271
- Method for the synthesis of ureido sugars, a new, 302
- Methyl 2,3,4-tri-O-acetyl- α -D-glucopyranoside, mechanistic study of the reaction of phenyl isocyanate with, 290
- Methyl 3,4-anhydro- α -DL-allopyranoside, crystal and molecular structure, 195
- Milk, goat's, purification of two fucose-containing pentasaccharides from, by high performance liquid chromatography, and characterization by high-field ¹H-n.m.r. spectroscopy, 91
- Molecular-mechanics investigation of D-fructose 2,6-bisphosphate, two-dimensional ¹H-, ¹³C-, and ³¹P-nuclear magnetic resonance and, 173
- Monoclonal antibody to a polysaccharide, capability for reading internal epitopes of its antigen, 253
- Multiple attack by enzymes on polysaccharides, a new approach to the evaluation of the degree of, 119
- Mycobacterium smegmatis*, arabinogalactan of cell wall, isolation and analysis of linkage and ring forms, by reductive-cleavage method, 79
- N.m.r. spectroscopy of sodium α -L-guluronate dihydrate, solutions and solid-state ¹H- and ¹³C-, 281
- ¹H-Nuclear magnetic resonance spectroscopy of reducing-residue anomeric protons of pertrifluoroacetylated carbohydrates, 163
- Nucleoside precursors: alternative routes to 3-(alditol-1-yl)-1,2,4-triazolo[3,4-a]phthalazines, synthesis of C-, 330
- Nucleoside synthesis, transient protection in, using trityl groups, 324
- Oligosaccharide conformation, uncertainties in structural determinations of, using measurements of nuclear Overhauser effects, 13

- Oligosaccharides, complex multiantennary asparagine-linked, biosynthesis of poly-*N*-acetyl-lactosamine chains occurs preferentially on, 109
- Oligosaccharides of yeast, asparagine-linked, separation by high-performance anion-exchange chromatography, 1
- Oligosaccharides (pentasaccharides) from goat's milk, two fucose-containing, purification by high-performance liquid chromatography, and characterization by high-field ^1H -n.m.r. spectroscopy, 91
- Organotin derivatives, regioselective glycosylation of mono- and di-saccharides *via*, 296
- Oxidation of carbohydrates by alkaline hydrogen peroxide in the presence and in the absence of ferrous ion, 287
- Pediococcus* sp., structure of β -D-glucan from, 103
- Pentasaccharides from goat's milk, two fucose-containing, purification by high-performance liquid chromatography, and characterization by high-field ^1H -n.m.r. spectroscopy, 91
- Phenyl isocyanate with methyl 2,3,4-tri-*O*-acetyl- α -D-glucopyranoside, mechanistic study of the reaction of, 290
- Phthalazines, synthesis of *C*-nucleoside precursors: alternative routes to 3-(alditol-1-yl)-1,2,4-triazolo[3,4-*a*], 330
- Poly-*N*-acetyl-lactosamine chain biosynthesis occurs preferentially on complex multiantennary asparagine-linked oligosaccharides, 109
- Proteolysis with subtilisin, alteration of properties of a glucoamylase from *Aspergillus* sp. K-27, 129
- Pseudomonas putida*, metabolism of 4-deoxy-4-fluoro-D-glucose in, 271
- Reductive-cleavage method, analysis of linkage positions and ring forms of the cell-wall arabinogalactan of *Mycobacterium smegmatis*, 79
- Regioselective glycosylation of mono- and di-saccharides via organotin derivatives, 296
- Seeds of *Helipterum eximium*, a highly substituted glucan that coats the, 336
- Serratia marcescens* serogroup O22, structure of a neutral glycan isolated from the lipopolysaccharide of the reference strain for, 247
- Separation of yeast asparagine-linked oligosaccharides by high-performance anion-exchange chromatography, 1
- Sialic acid, synthesis and *O*-glycosylation with *S*-glycosyl donors of, 57
- Sialosyl-2,6-lactose and sialosylcholesterol, synthesis of, 57
- Solution and solid-state ^1H - and ^{13}C -n.m.r. spectroscopy of sodium α -L-guluronate dihydrate, 281
- "Standardized intermediates" for oligosaccharide synthesis: convenient preparation of 2-amino-2-deoxy-D-glucose derivatives and their conversion into the D-galactose analogues, 319
- Structural and conformational effects on the complexation of calcium by 2,3-dicarboxy derivatives of β -cyclodextrin (cyclomaltoheptaose), amylose, and cellulose, 19
- Structure of a neutral glycan isolated from the lipopolysaccharide of the reference strain for *Serratia marcescens* serogroup O22, 247
- Structure of the biological repeating unit of the O-antigen of *Hafnia alvei* O39, 219
- Subtilisin, proteolysis with, alteration of properties of a glucoamylase from *Aspergillus* sp. K-27, 129
- Substituted glucan that coats the seeds of *Helipterum eximium*, a highly, 336
- Synthesis of 2-acetamido-1,2-dideoxy-D-galactonojirimycin (2-acetamido-1,2,5-trideoxy-1,5-imino-D-galactitol) from 1-deoxynojirimycin, 308
- Synthesis of *C*-nucleoside precursors: alternative routes to 3-(alditol-1-yl)-1,2,4-triazolo[3,4-*a*]phthalazines, 330
- Synthesis of D-galacto-1-deoxynojirimycin (1,5-dideoxy-1,5-imino-D-galactitol) starting from 1-deoxynojirimycin, 314
- Synthesis of derivatives of 2-amino-2-deoxy-D-glucose and -D-galactose as intermediates for oligosaccharide synthesis, 319
- Synthesis of ganglioside GM₃, using highly stereocontrolled glycosylations by use of auxiliaries, 205
- Synthesis of the anomeric ethyl 2-(4,6-di-*O*-benzyl-2,3-dideoxy-D-erythro-hex-2-enopyranosyl)acetates and their structural characterization, 148
- Synthesis of ureido sugars, a new method for the, 302
- Transglycosylation and multiple attack of endo-(1 \rightarrow 3)- β -D-glucanase L-IV from *Spizula sachalinensis*: a new approach to the evaluation of the degree of multiple attack on polysaccharides, 119
- Transglycosylation by chitinolytic enzymes in a buffer, enzymic synthesis of useful chito-oligosaccharides utilizing, 65
- Transient protection in nucleoside synthesis using trityl groups: is it necessary to block hydroxyl groups? 324
- Trityl groups, transient protection in nucleoside synthesis, using, 324
- Two-dimensional ^1H -, ^{13}C -, and ^{31}P -nuclear mag-

netic resonance and molecular-mechanics investigation of D-fructose 2,6-bisphosphate, 173

Uncertainties in structural determinations of oligosaccharide conformation using measurements of nuclear Overhauser effects, 13

Ureido sugars, a new method for the synthesis of, 302

Wines, ropy, structure of β -D-glucan isolated from lactic bacterium of, 103

